

Projekt:

Dane do obliczeń : Pora dnia

Źródła punktowe

Nr	X[m]	Y[m]	z[m]	Pma	Symbol
=====					
1	908.6	922.8	13.0	93.0	H5.1
2	924.6	921.9	13.0	93.0	H5.2
3	942.2	921.1	13.0	93.0	H5.3
4	906.1	899.2	13.0	93.0	H5.4
5	924.0	897.6	13.0	93.0	H5.5
6	940.8	896.7	13.0	93.0	H5.6
7	1225.5	1174.2	10.0	98.0	H9.1
8	1220.8	1104.0	10.0	98.0	H9.2
9	922.4	942.3	2.0	97.0	H9.3
10	982.2	832.6	2.0	97.0	H9.4
11	1012.3	863.3	2.0	95.0	H9.4.1
12	963.4	856.0	2.0	95.0	H9.4.2
13	807.4	838.3	2.0	109.0	H9.5
14	843.8	832.6	2.0	97.0	H9.6
15	828.8	834.7	2.0	118.0	H9.8
16	875.6	809.2	2.0	97.0	H9.7
17	786.0	978.0	1.0	94.0	H7.1
18	808.0	977.0	1.0	94.0	H7.1
19	834.0	977.0	1.0	94.0	H7.1
20	860.0	976.0	1.0	94.0	H7.1
21	889.0	974.0	1.0	94.0	H7.1
22	920.0	971.0	1.0	94.0	H7.1
23	938.0	961.0	1.0	94.0	H7.1
24	943.0	943.0	1.0	94.0	H7.1
25	1022.0	926.0	1.0	91.8	H7.2
26	1021.0	944.0	1.0	91.8	H7.2
27	1000.0	946.0	1.0	91.8	H7.2
28	976.0	947.0	1.0	91.8	H7.2
29	954.0	949.0	1.0	91.8	H7.2
30	935.0	951.0	1.0	91.8	H7.2
31	911.0	952.0	1.0	91.8	H7.2
32	907.0	971.0	1.0	91.8	H7.2
33	880.0	974.0	1.0	91.8	H7.2
34	873.0	951.0	1.0	91.8	H7.2
35	873.0	935.0	1.0	91.8	H7.2
36	870.0	916.0	1.0	91.8	H7.2
37	871.0	902.0	1.0	91.8	H7.2
38	870.0	885.0	1.0	91.8	H7.2
39	1033.0	857.0	1.0	91.8	H7.2
40	1036.0	887.0	1.0	91.8	H7.2
41	1040.0	911.0	1.0	91.8	H7.2
42	1042.0	932.0	1.0	91.8	H7.2
43	1061.0	939.0	1.0	91.8	H7.2
44	1081.0	944.0	1.0	91.8	H7.2
45	1092.0	960.0	1.0	91.8	H7.2
46	1090.0	981.0	1.0	91.8	H7.2
47	1081.0	1001.0	1.0	91.8	H7.2
48	1072.0	1011.0	1.0	91.8	H7.2

```

49 1072.0 1030.0 1.0 91.8 H7.2
50 1083.0 1039.0 1.0 91.8 H7.2
51 1121.0 1035.0 1.0 91.8 H7.2
52 1148.0 1030.0 1.0 91.8 H7.2
53 861.0 823.0 1.0 91.2 H7.3
54 864.0 846.0 1.0 91.2 H7.3
55 866.0 868.0 1.0 91.2 H7.3
56 866.0 894.0 1.0 91.2 H7.3
57 867.0 911.0 1.0 91.2 H7.3
58 869.0 929.0 1.0 91.2 H7.3
59 874.0 945.0 1.0 91.2 H7.3
60 874.0 965.0 1.0 91.2 H7.3
61 850.0 977.0 1.0 91.2 H7.3
62 823.0 977.0 1.0 91.2 H7.3
63 937.2 853.6 13.0 90.0 EN.2
64 903.4 776.0 5.9 80.0 EN.7-2
    
```

Źródła typu hala produkcyjna :

WSPÓŁRZĘDNE WIERZCHOŁKÓW :

Nr	X1[m]	Y1[m]	X2[m]	Y2[m]	X3[m]	Y3[m]	X4[m]	Y4[m]	h0[m]	h[m]
1	888.5	937.6	966.0	932.6	963.5	883.3	885.4	887.5	0.0	12.5
2	965.8	924.7	1030.7	920.2	1027.1	877.4	964.4	882.7	0.0	9.0
3	856.3	1001.7	871.4	1001.7	871.7	998.6	856.3	998.4	0.0	3.0
4	886.6	887.0	883.8	845.1	940.1	841.6	942.6	883.5	0.0	12.5
5	777.8	754.8	827.6	752.4	829.4	782.8	780.0	785.4	0.0	13.0
6	835.2	760.0	863.6	758.4	863.4	750.0	834.4	751.8	0.0	8.8
7	864.8	770.2	863.6	749.8	879.2	749.2	880.2	769.2	0.0	12.0
8	867.8	789.4	874.4	789.4	874.2	785.4	867.4	785.6	0.0	5.0
9	779.8	785.5	766.5	786.2	766.6	781.4	779.6	780.7	0.0	7.3

POZIOMY HAŁASU i IZOLACYJNOŚĆ PRZEGRÓD

Nr źródła		A	63	125	250	500	1000	2000	4000	8000	wsp.odb.
1	sc.1	L wew	85.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	17.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.2	L wew	85.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	17.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.3	L wew	85.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	17.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.4	L wew	85.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	17.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	dach	L wew	85.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R d	17.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
2	sc.1	L wew	85.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	17.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.2	L wew	85.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	17.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.3	L wew	85.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	17.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.4	L wew	85.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000

	R sc	17.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
dach	L wew	85.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
	R d	17.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

=====											
Nr źródła		A	63	125	250	500	1000	2000	4000	8000	wsp.odp.
=====											
3	sc.1	L wew	85.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.2	L wew	85.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.3	L wew	85.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.4	L wew	85.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
dach	L wew	85.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
	R d	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

=====											
Nr źródła		A	63	125	250	500	1000	2000	4000	8000	wsp.odp.
=====											
4	sc.1	L wew	85.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	17.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.2	L wew	85.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	17.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.3	L wew	85.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	17.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.4	L wew	85.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	17.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
dach	L wew	85.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
	R d	17.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

=====											
Nr źródła		A	63	125	250	500	1000	2000	4000	8000	wsp.odp.
=====											
5	sc.1	L wew	85.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	17.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.2	L wew	85.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	17.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.3	L wew	85.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	17.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.4	L wew	85.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	17.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
dach	L wew	85.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
	R d	17.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

=====											
Nr źródła		A	63	125	250	500	1000	2000	4000	8000	wsp.odp.
=====											
6	sc.1	L wew	80.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	17.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.2	L wew	80.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	17.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.3	L wew	80.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	17.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.4	L wew	80.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	17.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
dach	L wew	80.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
	R d	17.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

Nr źródła		A	63	125	250	500	1000	2000	4000	8000	wsp.odn.
=====											
7	sc.1	L wew	85.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	17.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.2	L wew	85.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	17.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.3	L wew	85.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	17.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.4	L wew	85.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	17.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
dach	L wew	85.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
	R d	17.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

Nr źródła		A	63	125	250	500	1000	2000	4000	8000	wsp.odn.
=====											
8	sc.1	L wew	90.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.2	L wew	90.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.3	L wew	90.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.4	L wew	90.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
dach	L wew	90.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
	R d	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

Nr źródła		A	63	125	250	500	1000	2000	4000	8000	wsp.odn.
=====											
9	sc.1	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.2	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.3	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.4	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
dach	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
	R d	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

Punkty obserwacji

Nr	Symbol	X[m]	Y[m]	z[m]

1	P1	231.3	1013.8	4.0
2	P2	211.7	943.8	4.0
3	P3	235.2	371.0	4.0
