

H1

Program LEQ Professional v. 6-2019 dla Windows

Projekt:

C:\Users\hp\Desktop\Hałas Beznatka\DZIEŃ.dat

Dane do obliczeń :

źródła punktowe

Nr	X[m]	Y[m]	z[m]	Pma	Symbol
=====					
1	364.0	500.0	1.0	71.4	ep1
2	374.0	517.6	1.0	68.4	ep2
3	380.8	527.2	1.0	73.2	ep3
4	378.4	527.2	1.0	63.2	ep4
5	379.2	525.2	1.0	78.0	ep5
6	381.2	526.4	1.0	70.4	ep6
7	354.4	481.2	1.0	71.4	ep7
8	405.2	521.2	1.0	71.4	ep8
9	425.2	564.0	1.0	71.4	ep9
10	452.4	602.8	1.0	71.4	ep10
11	478.8	642.4	1.0	71.4	ep11
12	496.8	677.2	1.0	71.4	ep12
13	496.0	702.4	1.0	63.2	ep13
14	495.6	699.6	1.0	73.2	ep14
15	496.8	700.8	1.0	70.4	ep15
16	369.6	508.4	1.0	68.4	ep16
17	389.6	516.8	1.0	68.4	ep17
18	416.4	546.0	1.0	68.4	ep18
19	438.0	596.8	1.0	68.4	ep19
20	443.6	620.8	1.0	70.2	ep20
21	442.4	618.4	1.0	60.2	ep21
22	445.6	619.6	1.0	67.2	ep22
23	445.2	618.0	1.0	67.4	ep23
24	358.0	489.2	1.0	68.4	ep24
25	381.6	516.4	1.0	64.4	ep25
26	387.6	523.2	1.0	60.2	ep26
27	390.0	522.4	1.0	70.2	ep27
28	388.0	522.4	1.0	67.4	ep28
29	350.4	473.6	1.0	68.4	ep29
30	409.6	532.4	1.0	68.4	ep30
31	430.8	577.6	1.0	68.4	ep31
32	436.4	606.4	1.0	68.4	ep32
33	429.2	616.8	1.0	60.2	ep33
34	432.8	618.0	1.0	70.2	ep34
35	432.4	614.8	1.0	67.4	ep35
36	487.5	693.4	2.0	89.0	e-1
37	488.7	692.9	2.0	89.0	e-2
38	493.6	690.2	2.0	89.0	e-3
39	494.8	689.6	2.0	89.0	e-4
40	487.5	693.5	3.4	89.0	e-5
41	488.8	692.9	3.4	89.0	e-6
42	493.6	690.2	3.4	89.0	e-7

43	494.8	689.6	3.4	89.0	e-8
44	490.0	692.1	5.3	89.0	e-9
45	491.2	691.6	5.3	89.0	e-10
46	492.5	690.8	5.3	89.0	e-11
47	393.2	536.7	5.3	78.0	e-12
48	398.2	546.2	5.3	78.0	e-13
49	403.3	554.9	5.3	78.0	e-14
50	408.0	562.7	5.3	78.0	e-15
51	412.5	571.5	5.3	78.0	e-16
52	417.1	579.8	5.3	78.0	e-17
53	422.0	587.9	5.3	78.0	e-18
54	422.2	594.0	2.5	89.0	e-19
55	423.8	593.3	2.5	89.0	e-20
56	426.6	592.0	2.5	89.0	e-21
57	428.0	591.2	2.5	89.0	e-22

=====

źródła typu hala produkcyjna :

WSPÓŁRZĘDNE WIERZCHOŁKÓW :

Nr	X1[m]	Y1[m]	X2[m]	Y2[m]	X3[m]	Y3[m]	X4[m]	Y4[m]	h0[m]	h[m]
=====										
1	446.4	622.8	483.5	694.8	497.8	687.5	460.4	615.5	0.0	6.3
2	420.9	594.3	386.0	529.6	393.8	525.2	429.1	590.2	0.0	4.8
3	380.2	449.0	386.2	446.1	389.3	452.5	383.5	455.5	0.0	4.0
=====										

POZIOMY HAŁASU i IZOLACYJNOŚĆ PRZEGRÓD

Nr źródła			A	63	125	250	500	1000	2000	4000	8000	wsp.odb.
1	sc.1	L wew	68.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	45.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.2	L wew	68.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	45.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.3	L wew	68.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	45.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.4	L wew	68.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	45.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	dach	L wew	68.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
	R d	30.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
=====												
Nr źródła			A	63	125	250	500	1000	2000	4000	8000	wsp.odb.
2	sc.1	L wew	68.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	45.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.2	L wew	68.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	45.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.3	L wew	68.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	45.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.4	L wew	68.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	45.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	dach	L wew	68.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
	R d	30.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
=====												
Nr źródła			A	63	125	250	500	1000	2000	4000	8000	wsp.odb.
3	sc.1	L wew	97.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000

	R sc	29.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
sc.2	L wew	97.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
	R sc	29.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
sc.3	L wew	97.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
	R sc	29.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
sc.4	L wew	97.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
	R sc	29.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
dach	L wew	97.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
	R d	30.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

Ekrany akustyczne :

WSPÓŁRZĘDNE WIERZCHOŁKÓW :

Nr	X1[m]	Y1[m]	X2[m]	Y2[m]	X3[m]	Y3[m]	X4[m]	Y4[m]	h0[m]	h[m]
1	394.0	525.4	398.4	533.1	402.9	530.7	398.5	522.5	0.0	4.0
2	383.2	455.4	389.3	452.5	392.0	458.6	386.1	461.0	0.0	4.0

WSPÓŁCZYNNIKI ODBICIA DLA ŚCIAN

Nr	ściana 1	ściana 2	ściana 3	ściana 4	dach
1	1.0000	1.0000	1.0000	1.0000	1.0000
2	1.0000	1.0000	1.0000	1.0000	1.0000

Punkty obserwacji

Nr	Symbol	X[m]	Y[m]	z[m]
1		309.1	542.7	4.0
2		294.7	493.3	4.0
3		334.6	462.6	4.0
4		358.6	441.9	4.0
5		380.6	424.6	4.0
6		522.2	445.3	4.0
7		436.5	437.1	4.0