

Program LEQ Professional - dane do obliczeń

H1

Program LEQ Professional v. 6-2019 dla Windows

Projekt:
C:\Users\lenovo\Desktop\Hałas Szadek\DZIEŃ.dat

Dane do obliczeń :

Źródła punktowe

Nr	X[m]	Y[m]	z[m]	Pma	Symbol
1	569.0	438.7	1.0	71.4	EP1
2	548.8	479.8	1.0	71.4	EP2
3	544.7	503.5	1.0	63.2	EP3
4	545.2	503.3	1.0	73.2	EP4
5	544.5	503.8	1.0	70.4	EP5
6	586.5	429.1	1.0	68.4	EP6
7	561.3	443.3	1.0	68.4	EP7
8	527.0	493.0	1.0	68.4	EP8
9	476.6	504.6	1.0	66.2	EP9
10	460.0	507.4	1.0	60.2	EP10
11	459.8	507.1	1.0	70.2	EP11
12	459.5	507.4	1.0	67.4	EP12
13	553.4	448.8	1.0	68.4	EP13
14	550.2	486.2	1.0	68.4	EP14
15	510.4	497.0	1.0	68.4	EP15
16	491.7	499.4	1.0	70.2	EP16
17	491.9	499.2	1.0	60.2	EP17
18	492.6	499.7	1.0	85.0	EP18
19	491.9	499.9	1.0	67.4	EP19
20	576.9	434.9	1.0	68.4	EP20
21	547.4	470.8	1.0	68.4	EP21
22	537.8	491.0	1.0	66.2	EP22
23	514.7	493.2	1.0	70.2	EP23
24	515.2	492.5	1.0	60.2	EP24
25	515.2	493.0	1.0	80.2	EP25
26	514.8	493.4	1.0	67.4	EP26
27	581.8	432.4	1.0	68.4	EP27
28	547.8	463.3	1.0	68.4	EP28
29	543.1	489.4	1.0	66.2	EP29
30	505.0	496.9	1.0	70.2	EP30
31	505.2	496.9	1.0	60.2	EP31
32	505.2	496.7	1.0	80.2	EP32
33	505.2	496.7	1.0	67.4	EP33
34	548.9	455.9	0.5	65.4	EP34
35	552.6	493.4	0.5	65.4	EP35
36	560.2	498.2	0.5	65.4	EP36
37	509.6	485.8	1.0	75.0	E-1

Źródła typu hala produkcyjna :

WSPÓŁRZĘDNE WIERZCHOŁKÓW :

Nr	X1[m]	Y1[m]	X2[m]	Y2[m]	X3[m]	Y3[m]	X4[m]	Y4[m]	h0[m]	h[m]
1	483.1	500.2	468.7	443.4	487.0	439.0	501.1	495.5	0.0	7.5
2	516.6	491.5	502.2	435.0	520.2	430.4	534.7	487.0	0.0	7.5
3	451.9	508.4	441.3	467.4	453.6	464.6	464.4	505.3	0.0	4.7
4	501.2	495.5	516.6	491.5	514.8	484.7	499.4	488.7	0.0	5.0

POZIOMY HAŁASU i IZOLACYJNOŚĆ PRZEGRÓD

Nr źródła			A	63	125	250	500	1000	2000	4000	8000	wsp.odb.
1	sc.1	L wew	72.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	45.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.2	L wew	72.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	45.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.3	L wew	72.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	45.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.4	L wew	72.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	45.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
dach	L wew	72.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000	
	R d	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
Nr źródła			A	63	125	250	500	1000	2000	4000	8000	wsp.odb.
2	sc.1	L wew	72.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	45.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.2	L wew	72.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	45.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.3	L wew	72.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	45.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.4	L wew	72.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	45.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	dach	L wew	72.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R d	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Nr źródła			A	63	125	250	500	1000	2000	4000	8000	wsp.odb.
3	sc.1	L wew	70.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	45.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.2	L wew	70.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	45.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.3	L wew	70.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	45.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.4	L wew	70.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	45.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	dach	L wew	70.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R d	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Nr źródła			A	63	125	250	500	1000	2000	4000	8000	wsp.odb.
4	sc.1	L wew	68.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	45.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.2	L wew	68.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	45.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.3	L wew	68.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000

	R sc	45.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
sc.4	L wew	68.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
	R sc	45.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
dach	L wew	68.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
	R d	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

Ekrany akustyczne :

WSPÓŁRZĘDNE WIERZCHOŁKÓW :

Nr	X1[m]	Y1[m]	X2[m]	Y2[m]	X3[m]	Y3[m]	X4[m]	Y4[m]	h0[m]	h[m]	Symbol
1	562.8	510.3	560.1	502.4	578.7	496.1	581.4	504.3	0.0	5.5	

WSPÓŁCZYNNIKI ODBICIA DLA ŚCIAN

Nr	ściana 1	ściana 2	ściana 3	ściana 4	dach
1	1.0000	1.0000	1.0000	1.0000	1.0000

Punkty obserwacji

Nr	Symbol	X[m]	Y[m]	z[m]
1		548.0	516.4	4.0
2		588.8	503.8	4.0
3		634.2	391.9	4.0
4		698.1	351.6	4.0
5		673.7	331.2	4.0
6		749.6	279.6	4.0