

H4

Program LEQ Professional v. 6-2019 dla Windows

Projekt:
 Hałas Kamień (Bystrek)\NOC

Dane do obliczeń :

źródła punktowe

Nr	X[m]	Y[m]	z[m]	Pma	Symbol
=====					
1	442.6	582.3	1.0	80.5	EP28
2	452.9	553.8	1.0	76.5	EP29
3	457.2	547.0	1.0	72.2	EP30
4	457.2	545.4	1.0	82.2	EP31
5	457.0	546.6	1.0	79.4	EP32
6	466.6	547.6	6.7	80.0	E-1
7	482.2	543.6	6.7	80.0	E-2
8	497.9	543.1	6.7	80.0	E-3
9	513.8	538.8	6.7	80.0	E-4
10	529.4	539.0	6.7	80.0	E-5
11	544.8	535.0	6.7	80.0	E-6
12	560.5	534.8	6.7	80.0	E-7
13	576.0	530.8	6.7	80.0	E-8
14	469.8	571.8	6.7	80.0	E-17
15	485.4	567.7	6.7	80.0	E-18
16	501.4	567.2	6.7	80.0	E-19
17	517.1	563.1	6.7	80.0	E-20
18	533.1	562.9	6.7	80.0	E-21
19	548.2	559.0	6.7	80.0	E-22
20	563.9	558.9	6.7	80.0	E-23
21	579.5	555.2	6.7	80.0	E-24
22	438.2	578.3	1.0	63.0	AC
=====					

źródła typu hała produkcyjna :

WSPÓŁRZĘDNE WIERZCHOŁKÓW :

Nr	X1[m]	Y1[m]	X2[m]	Y2[m]	X3[m]	Y3[m]	X4[m]	Y4[m]	h0[m]	h[m]
=====										
1	460.6	556.9	585.6	540.1	583.2	521.4	458.0	538.2	0.0	6.2
2	463.8	581.1	588.3	564.7	585.9	546.1	461.1	562.8	0.0	6.2
3	458.1	535.5	458.0	533.0	459.4	532.9	459.5	535.5	0.0	2.5
=====										

POZIOMY HAŁASU i IZOLACYJNOŚĆ PRZEGRÓD

Nr źródła		A	63	125	250	500	1000	2000	4000	8000	wsp.odb.
=====											
1	sc.1	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.2	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.3	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

sc.4	L	wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
	R	sc	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
dach	L	wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
	R	d	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

Nr źródła			A	63	125	250	500	1000	2000	4000	8000	wsp.odb.
2	sc.1	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.2	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.3	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.4	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	dach	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R d	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

Nr źródła			A	63	125	250	500	1000	2000	4000	8000	wsp.odb.
3	sc.1	L wew	97.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	18.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.2	L wew	97.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	18.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.3	L wew	97.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	18.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.4	L wew	97.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	18.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	dach	L wew	97.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R d	18.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

Ekrany akustyczne :

WSPÓŁRZĘDNE WIERZCHOŁKÓW :

Nr	X1[m]	Y1[m]	X2[m]	Y2[m]	X3[m]	Y3[m]	X4[m]	Y4[m]	h0[m]	h[m]
1	434.6	581.3	439.0	581.2	438.9	578.8	434.6	578.8	0.0	3.5
2	461.1	562.7	469.3	561.6	468.9	555.8	460.8	556.9	0.0	4.0
3	462.6	536.0	457.9	501.9	487.8	497.9	492.5	532.2	0.0	4.0
4	514.1	527.4	511.5	507.0	541.4	503.4	543.8	524.0	0.0	4.0
5	510.6	503.8	509.1	490.2	540.0	486.4	541.0	500.0	0.0	4.0
6	493.4	507.0	492.6	495.7	505.8	494.7	506.7	505.9	0.0	4.5
7	438.6	482.8	436.5	468.3	449.1	466.5	451.0	481.6	0.0	7.0
8	456.9	492.6	455.7	482.7	503.6	477.0	504.7	486.2	0.0	5.0
9	441.2	456.1	440.1	449.7	463.4	445.9	464.5	452.4	0.0	5.0
10	464.6	452.5	463.2	444.8	487.8	439.2	488.7	446.8	0.0	5.0
11	491.5	478.4	487.6	439.0	500.0	438.0	503.7	477.0	0.0	5.0

WSPÓŁCZYNNIKI ODBICIA DLA ŚCIAN

Nr	ściana 1	ściana 2	ściana 3	ściana 4	dach
1	1.0000	1.0000	1.0000	1.0000	1.0000
2	1.0000	1.0000	1.0000	1.0000	1.0000
3	1.0000	1.0000	1.0000	1.0000	1.0000
4	1.0000	1.0000	1.0000	1.0000	1.0000

5	1.0000	1.0000	1.0000	1.0000	1.0000
6	1.0000	1.0000	1.0000	1.0000	1.0000
7	1.0000	1.0000	1.0000	1.0000	1.0000
8	1.0000	1.0000	1.0000	1.0000	1.0000
9	1.0000	1.0000	1.0000	1.0000	1.0000
10	1.0000	1.0000	1.0000	1.0000	1.0000
11	1.0000	1.0000	1.0000	1.0000	1.0000

=====

Punkty obserwacji

Nr	Symbol	X[m]	Y[m]	z[m]

1		445.0	782.9	4.0
2		162.2	673.7	4.0
